

L Number	Hits	Search Text	DB	Time stamp
1	13	"3951513".PN.	USPAT	2003/02/20 12:45
2	1	("3951513").PN. and (cladding or insulating)	USPAT	2003/02/20 12:45
3	1	("3951513").PN. and (clad)	USPAT	2003/02/20 12:45
4	0	("3951513").PN. and (buffer)	USPAT	2003/02/20 12:46
5	0	("3951513").PN. and (free adj carrier)	USPAT	2003/02/20 14:26
6	1	("4966430").PN. and (free adj carriers)	USPAT	2003/02/20 14:26
7	0	("4966430").PN. and (free adj carriers)	USPAT	2003/02/20 14:35
8	0	("4966430").PN. and (free adj carriers)	USPAT	2003/02/20 14:35
9	2	("4966430").PN. and (free adj carriers)	USPAT	2003/02/20 14:35
10	1	("4966430") or ("6393169").PN. and Fabry	USPAT	2003/02/20 16:02
11	10	(Fabry-Perot near2 modulator) and SOI	USPAT	2003/02/20 16:07
12	25	Fabry-Perot and SOI	USPAT	2003/02/20 16:07
13	1	Fabry-Perot and SOI	EPO; JPO; DERWENT; IBM_TDB	2003/02/20 16:08
14	2	Fabry-Perot and SOI	USOCR	2003/02/20 16:09
15	32	Fabry-Perot and SOI	US-PGPUB	2003/02/20 16:25
16	4	("6316281") or ("6268953") or ("6242324") or ("5514885").PN. or ("6177685") or ("6188818") or ("6166846") or ("6075908") or ("6122419") or ("5864642") or ("5872360") or ("5835646") or ("5638469").PN. or ("5625729") or ("5625636") or ("5605856") or ("5568574") or ("5502779") or ("5485021") or ("5434434") or ("5432630") or ("5400419") or ("5198684").PN. or ("5159700") or ("5153770") or ("5061027") or ("4966430") or ("4939793") or ("4917450") or ("4871224") or ("4865427") or ("5761620") or ("4761620").PN. or ("4761620").PN. or ("4422088").PN. or ("5880491") or ("4728167") or ("6236778") or ("5875271") or ("4857973") or ("5841916") or ("4746183") or ("4877299") or ("6114994") or ("4693547") or ("6111633") or ("5004447") or ("4787691") or ("5354709") or ("5260592") or ("5682455") or ("5140651") or ("6163632") or ("6233070") or ("5908305") or ("5757986") or ("6002515") or ("5894492") or ("6088496") or ("5719981") or ("5761364") or ("5444567") or ("6021248") or ("5926601") or ("6222689") or ("5577141") or ("5513289") or ("6282357") or ("6017681") or ("6259841") or ("6289699").PN. or ("09514") or ("9906514") or ("9909514") or ("9909514")	USPAT	2002/11/18 14:00
-	11		USPAT	2002/11/18 14:04
-	1		USPAT	2002/11/18 14:04
-	1		USPAT	2002/11/18 14:05
-	2		US-PGPUB	2002/11/18 14:12
-	36		USPAT	2002/11/18 14:38
-	0		DERWENT	2002/11/18 14:38
-	0		DERWENT	2002/11/18 14:38
-	0		DERWENT	2002/11/18 14:38
-	0		DERWENT	2002/11/18 14:54
-	2		USPAT	2002/11/18 14:55
-	1283	(385/14).CCLS.	US-PGPUB	2002/11/18 14:55
-	138	(385/14).CCLS.	US-PGPUB	2002/11/18 16:50
-	400	(385/31) or (385/32) or (385/33) or (385/34) or (385/35) or (385/36) or (385/37) or (385/38).CCLS.	US-PGPUB	2002/11/18 16:50
-	3350	(385/31) or (385/32) or (385/33) or (385/34) or (385/35) or (385/36) or (385/37) or (385/38).CCLS.	USPAT	2002/11/18 16:48

-	180	((385/31) or (385/32) or (385/33) or (385/34) or (385/35) or (385/36) or (385/37) or (385/38)).CCLS.) and (waveguide or waveguides or (light adj guide) or (light adj guides)) and (electric or electronic or electricity or voltage or voltages) and (couple or coupler or couplers or coupling or coupled or couples) and (deflect or deflected or deflecting or deflects or deflector or deflectors or deflection))	USPAT	2002/11/18 16:51
-	30	((385/31) or (385/32) or (385/33) or (385/34) or (385/35) or (385/36) or (385/37) or (385/38)).CCLS.) and (waveguide or waveguides or (light adj guide) or (light adj guides)) and (electric or electronic or electricity or voltage or voltages) and (couple or coupler or couplers or coupling or coupled or couples) and (deflect or deflected or deflecting or deflects or deflector or deflectors or deflection))	US-PGPUB	2002/11/18 16:59
-	39	((electroptic or electroptical or electro-optic or electro-optical) near2 (circuit or circuits)) and (waveguide or waveguides or (light adj guide) or (light adj guides) or waveguiding or (light adj guiding))	US-PGPUB	2002/11/18 17:09
-	842	((optical or optic) near2 (circuit or circuits)) with integrated) and (waveguide or waveguides or (light adj guide) or (light adj guides) or waveguiding or (light adj guiding)) and (electrode or electrodes or voltage) near2 (circuit or circuits) and (electrode or electrodes or voltage) near2 (circuit or circuits) and (light adj guide) or (light adj guides) or waveguiding or (light adj guiding)) and (electrode or electrodes or voltage) near2 (circuit or circuits) and (light adj guide) or (light adj guides) or waveguiding or (light adj guiding))	USPAT	2002/11/18 17:11
-	148	((optical or optic) near2 (circuit or circuits)) with integrated) and (waveguide or waveguides or (light adj guide) or (light adj guides) or waveguiding or (light adj guiding)) and (electrode or electrodes or voltage) near2 (circuit or circuits) and (light adj guide) or (light adj guides) or waveguiding or (light adj guiding))	EPO; JPO; DERWENT; IBM TDB USPAT	2002/11/18 17:02
-	134	((electroptic or electroptical or electro-optic or electro-optical) near2 (circuit or circuits)) and (waveguide or waveguides or (light adj guide) or (light adj guides) or waveguiding or (light adj guiding))	EPO; JPO; DERWENT; IBM TDB US-PGPUB	2002/11/18 17:02
-	17	((electroptic or electroptical or electro-optic or electro-optical) near2 (circuit or circuits)) and (waveguide or waveguides or (light adj guide) or (light adj guides) or waveguiding or (light adj guiding))	EPO; JPO; DERWENT; IBM TDB US-PGPUB	2002/11/18 17:02
-	102	((optical or optic) near2 (circuit or circuits)) with integrated) and (waveguide or waveguides or (light adj guide) or (light adj guides) or waveguiding or (light adj guiding)) and (electrode or electrodes or voltage) near2 (circuit or circuits) and (electrode or electrodes or voltage) near2 (circuit or circuits) and (light adj guide) or (light adj guides) or waveguiding or (light adj guiding))	US-PGPUB	2002/11/18 17:09
-	99	((optical or optic) near2 (circuit or circuits)) with integrated) and (waveguide or waveguides or (light adj guide) or (light adj guides) or waveguiding or (light adj guiding)) and (electrode or electrodes or voltage) near2 (circuit or circuits) and (electrode or electrodes or voltage) near2 (circuit or circuits) and (light adj guide) or (light adj guides) or waveguiding or (light adj guiding))	USPAT	2002/11/18 17:11
-	679	((optical or optic) near2 (circuit or circuits)) with integrated) and (waveguide or waveguides or (light adj guide) or (light adj guides) or waveguiding or (light adj guiding)) and (electrode or electrodes or voltage) near2 (circuit or circuits) and (electrode or electrodes or voltage) near2 (circuit or circuits) and (light adj guide) or (light adj guides) or waveguiding or (light adj guiding))	USPAT	2002/11/18 17:11
-	571	((optical or optic) near2 (circuit or circuits)) with integrated) and (waveguide or waveguides or (light adj guide) or (light adj guides) or waveguiding or (light adj guiding)) and (electrode or electrodes or voltage) near2 (circuit or circuits) and (electrode or electrodes or voltage) near2 (circuit or circuits) and (light adj guide) or (light adj guides) or waveguiding or (light adj guiding))	USPAT	2002/11/18 17:12
-	489	((optical or optic) near2 (circuit or circuits)) with integrated) and (waveguide or waveguides or (light adj guide) or (light adj guides) or waveguiding or (light adj guiding)) and (electrode or electrodes or voltage) near2 (circuit or circuits) and (electrode or electrodes or voltage) near2 (circuit or circuits) and (light adj guide) or (light adj guides) or waveguiding or (light adj guiding))	USPAT	2002/11/18 17:13

-	232	(((((optical or optic) near2 (circuit or circuits)) with integrated) and (waveguide or waveguides or (light adj guide) or (light adj guides) or waveguiding or (light adj guiding)) and (electrode or electrodes or voltage)) not ((385/14).CCLS.)) not "134" and (coupler or couplers or coupling or couples or coupled or couple)) and (prism or prisms or grating or gratings) ((((((optical or optic) near2 (circuit or circuits)) with integrated) and (waveguide or waveguides or (light adj guide) or (light adj guides) or waveguiding or (light adj guiding)) and (electrode or electrodes or voltage)) not ((385/14).CCLS.)) not "134" and (coupler or couplers or coupling or couples or coupled or couple)) and (prism or prisms or grating or gratings)) and (deflector or deflectors or deflected or deflecting or deflect or deflects or deflection)	USPAT	2002/11/18 17:13
-	72	385/49	USPAT	2002/11/18 17:16
-	1245	(385/49).CCLS.	USPAT	2002/11/18 17:16
-	561	("5444567").PN.	USPAT	2002/11/18 17:16
-	1	("5444567").PN.) and silicon	USPAT	2002/11/19 08:47
-	0	("5444567").PN.) and silicon	USPAT	2002/11/19 08:47
-	1	("5432876").PN.	USPAT	2002/11/20 14:20
-	1	("5659643").PN.	USPAT	2002/11/20 14:20
-	149	(438/69).CCLS.	USPAT	2003/02/13 16:47
-	154	((SOI near2 (structure or structures)) or (silicon near2 insulator)) and ((waveguide or waveguides) near2 (optical or optic or light)) and (electronic or electric or optoelectronic or optoelectric or electrode or electrodes) ((SOI near2 (structure or structures)) or (silicon near2 insulator)) and ((waveguide or waveguides) near2 (optical or optic or light)) and (electronic or electric or optoelectronic or optoelectric or electrode or electrodes) ((SOI near2 (structure or structures)) or (silicon near2 insulator)) and ((waveguide or waveguides) near2 (optical or optic or light)) and (electronic or electric or optoelectronic or optoelectric or electrode or electrodes) and ((coupler or couplers or coupled or couple or couples or coupling) near2 top)	US-PGPUB	2003/02/13 17:37
-	99			
-	6	((SOI near2 (structure or structures)) or (silicon near2 insulator)) and ((waveguide or waveguides) near2 (optical or optic or light)) and (electronic or electric or optoelectronic or optoelectric or electrode or electrodes) ((SOI near2 (structure or structures)) or (silicon near2 insulator)) and ((waveguide or waveguides) near2 (optical or optic or light)) and (electronic or electric or optoelectronic or optoelectric or electrode or electrodes) and ((coupler or couplers or coupled or couple or couples or coupling) near2 top)	EPO; JPO; DERWENT; IBM_TDB	2003/02/13 17:03
-	2	((SOI near2 (structure or structures)) or (silicon near2 insulator)) and ((waveguide or waveguides) near2 (optical or optic or light)) and (electronic or electric or optoelectronic or optoelectric or electrode or electrodes) and ((coupler or couplers or coupled or couple or couples or coupling) near2 top)	USPAT	2003/02/13 17:03
-	0	((SOI near2 (structure or structures)) or (silicon near2 insulator)) and ((waveguide or waveguides) near2 (optical or optic or light)) and (evanescent adj (coupling or coupler or couplers))	EPO; JPO; DERWENT; IBM_TDB	2003/02/13 17:39
-	6	((SOI near2 (structure or structures)) or (silicon near2 insulator)) and ((waveguide or waveguides) near2 (optical or optic or light)) and (electronic or electric or optoelectronic or optoelectric or electrode or electrodes) ((SOI near2 (structure or structures)) or (silicon near2 insulator)) and ((waveguide or waveguides) near2 (optical or optic or light)) and (evanescent adj (coupling or coupler or couplers))	EPO; JPO; DERWENT; IBM_TDB	2003/02/13 17:38
-	16	((SOI near2 (structure or structures)) or (silicon near2 insulator)) and ((waveguide or waveguides) near2 (optical or optic or light)) and (evanescent adj (coupling or coupler or couplers))	USPAT; US-PGPUB	2003/02/13 17:45

L. Number	Hits	Search Text	DB	Time stamp
-	1324	(385/14).CCLS.	USPAT	2003/02/12 17:17
-	2	((385/14).CCLS.) and ((electric or electronic) near2 (circuit or circuits)) and (SOI adj wafer)	USPAT	2003/02/12 17:18
-	4	((385/14).CCLS.) and ((electric or electronic) near2 (circuit or circuits)) and (SOI)	USPAT	2003/02/12 17:19
-	775	((385/14).CCLS.) and (circuit)	USPAT	2003/02/12 17:19
-	4	((385/14).CCLS.) and ((electric or electronic) near2 (circuit or circuits)) and (SOI)	US-PGPUB	2003/02/12 17:20
-	184	(385/14).CCLS.	US-PGPUB	2003/02/12 17:42